UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/758,115	01/16/2004	Yuji Sushima	HITA.0496	4976
Stanley P. Fisher Reed Smith LLP Suite 1400 3110 Fairview Park Drive Falls Church, VA 22042-4503			EXAMINER	
			WHIPPLE, BRIAN P	
			ART UNIT	PAPER NUMBER
			2452	
			MAIL DATE	DELIVERY MODE
			01/12/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.



UNITED STATES DEPARTMENT OF COMMERCE U.S. Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS P.O. Box 1450

P.O. Box 1450 Alexandria, Virginia 22313-1450

APPLICATION NO./ FILING DATE FIRST NAMED INVENTOR / ATTORNEY DOCKET NO. PATENT IN REEXAMINATION

10758115 1/16/2004 SUSHIMA ET AL. HITA.0496

Stanley P. Fisher Reed Smith LLP Suite 1400 3110 Fairview Park Drive Falls Church, VA 22042-4503 EXAMINER

BRIAN P. WHIPPLE

ART UNIT PAPER
2452 20090105

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

In addition to the reasons for non-compliance under 37 CFR 1.121 in the attached form, the amendment is also considered non-responsive under 37 CFR 1.111, which states, "The reply by the applicant or patent owner must be reduced to a writing which distinctly and specifically points out the supposed errors in the examiner's action and must reply to every ground of objection and rejection in the prior Office action."

Specifically, Applicant fails to respond to the rejection of claim 25 under Albert, what was well known in the art at the time of the invention, and Ashok.

Applicant is given one month, or thirty (30) days, whichever is longer, from the mail date of this notice to file a fully responsive amendment.

Brian P. Whipple /B. P. W./ Examiner, Art Unit 2452 1/5/09

> /Kenny S Lin/ Primary Examiner, Art Unit 2452